



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 7 N

R 2 E

West		Subdivisions of Township 24 N. R. 2 E.	
40.00	On the South Side of Sec. 34 A. Poplar 36 S 20 W 7 B. Oak 16 S 81 E 15 } Hilly Oak land	North	Between Sec. 35 & 36
60.00	A. Brook 3 lks S. E	40.00	q. Sec. corner Poplar 15 corner tree
80.00	Corner to Sec. 33 & 34 Chesnut 30 S 77 W 7 do 12 S 49 E 15 } Land same	66.50	A. Brook 12 lks S. E
West	On the South Side of Sec. 33	80.00	Set post corner to Sec. 25, 26, 35, 36 Beech 10 S 48 E 13 do 15 S 5 W 30
40.00	A. Hickory 24 S 4 E 8 } over hills & rough Chesnut Oak 12 S 17 E 15 } land. Oak. Chesnut	Land the same	East
58.00	A. Brook 3 lks S. W	Between Sec. 35 & 36 On Random	
80.00	Corner to Sec. 32 & 33 Chesnut Oak 18 S 45 E 7 } Hills & brush Dogwood 5 S 54 W 8 }	13.00	A. Brook 15 lks S. E
West	On the South Side of Sec. 32	40.00	Temporary q. Sec. post
10.00	A. Brook 3 lks North	66.25	A. Brook 7.5 lks S. W
25.00	Same - North	80.00	Intersected N. & S. line 10 lks S. of corner Land the same
40.00	A. W. Oak 10 S 20 E 11 } Hilly Oak land B. Oak 18 S 40 E 13 }	West	Corrected
80.00	Corner to Sec. 31 & 32 B. Oak 18 S 40 E 19 } Land & timber same W. Oak 8 S 84 W 34 }	40.00	q. Sec. corner B. Oak 10 S 36 E 20 do 6 S 61 W 13
West	On the South Side of Sec. 31	80.00	Section corner
40.00	A. Hickory 7 S 55 W 25 do 7 S 63 E 31	North	Between Sec. 25 & 26
61.00	A. Brook 50 lks S. W	40.00	q. Sec. corner W. Oak 18 S 84 W 30 Hickory 3 S 4 E 10
80.00	Set a temporary post Surveyed by Alex. Holmes D. S.	80.00	Set post corner to Sec. 23, 24, 25, 26 B. Oak 30 S 42 W 15 Lynn 8 S 45 E 26
		Land the same	East
		Between Sec. 24 & 25 On Random	
		27.00	A. Brook 100 lks S. W
		40.00	Temporary q. Sec. post
		79.44	Intersected N. & S. line at Sec. corner Land the same
		West	Between Sec. 24 & 25 Corrected
		39.72	q. Sec. corner Lynn 12 S 85 E 5 Beech 5 S 78 W 26
		79.44	Section corner

North		North	
20.00	A. Brook 100 lks S. W	North	Between Sec. 11 & 12
40.00	q. Sec. corner Beech 3 S 38 E 5 Poplar 4 S 14 W 6	15.72	A. Beech 15 in. diam.
75.00	A. Brook 15 lks S. W	40.00	q. Sec. corner Beech 12 S 63 E 15 do 10 S 79 E 11
80.00	Set post corner to Sec. 13, 14, 23, 24 W. Oak 30 S 35 E 28 do 20 S 23 W 29	80.00	Set post corner to Sec. 1, 2, 11, 12 B. Oak 15 S 11 E 8 do 10 S 63 E 12
Land the same	East	Land the same	East
Between Sec. 13 & 24 On Random		Between Sec. 1 & 12 On Random	
10.15	A. Brook 15 lks S. W	40.00	Temporary q. Sec. post
40.00	Temporary q. Sec. post	79.60	Intersected N. & S. line 70 lks S. of corner Land the same
79.63	Intersected N. & S. line 80 lks S. of corner Land the same	West	Corrected
West	Corrected	39.80	q. Sec. corner B. Oak 30 S 79 E 9 do 24 S 46 E 15
39.81 1/2	q. Sec. corner B. Oak 15 S 29 W 4 Hickory - S 49 E 24	79.60	Section corner
79.63	Section corner	North	Between Sec. 1 & 2
North	Between Sec. 13 & 14	11.69	A. B. Oak 40 in. diam.
30.25	A. Sugar 15 in. diam.	40.00	q. Sec. corner Beech 30 S 35 W 11 Elm 15 S 5 W 19
40.00	q. Sec. corner Beech 15 S 60 E 15 B. Oak 20 S 12 E 23	78.39	Set post on N. Boundary 113 lks E. of corner Beech 15 S 89 W 7 W. Oak 24 S 66 W 15
80.00	Set post corner of Sec. 11, 12, 13, 14 Poplar 20 S 8 E 30 Beech 15 S 30 W 18	Land the same	North
Land the same	East	Between Sec. 34 & 35	
Between Sec. 12 & 13 On Random		40.00	q. Sec. corner B. Oak 6 S 56 W 7 Hickory 3 S 32 W 7
40.00	Temporary q. Sec. post	56.00	A. Brook 15 lks East
79.69	Intersected N. & S. line 28 lks S. of corner Land the same	80.00	Set post corner to Sec. 26, 27, 34, 35 B. Oak 15 S 33 E 6 Hickory 4 S 9 E 28
West	Corrected	Land the same	East
39.84 1/2	q. Sec. corner Maple 15 S 25 E 11 W. Oak 14 S 45 E 6	Between Sec. 26 & 35 On Random	
79.69	Section corner	40.00	Temporary q. Sec. post
		80.20	Intersected N. & S. line 25 lks S. of corner Land the same

West	Between Sec ^s 10 & 15 Corrected	80.00	Set post corner of Sec ^s 28, 29, 32, 33
40.15	gr. Sec. corner Dogwood 3 S 4 E 21		N. Oak 15 S 30 W 39
	do 3 S 10 E 12		Maple 4 S 36 E 33
80.30	Section corner		Same the same
North	Between Sec ^s 7 & 10	East	Between Sec ^s 28 & 33 On Random
35.00	H. Gum 20 in. diam.	40.00	Temporary gr. Sec. post
40.00	gr. Sec. corner Beech 12 S 31 W 8	80.25	Intersected N & S line 26 lts N. of corner
	do 12 S 64 E 19		Same the same
80.00	Set post corner to Sec ^s 3, 4, 9, 10	West	Corrected
	N. Oak 10 S 11 E 23	40.12 $\frac{1}{2}$	gr. Sec. corner B. Oak 8 S 32 W 23
	do 15 S 50 W 34		do 26 S 2 E 34
	Same the same	80.25	Section corner
East	Between Sec ^s 3 & 10 On Random	North	Between Sec ^s 28 & 29
40.00	Temporary gr. Sec. post	40.00	gr. Sec. corner B. Oak 10 S 33 W 13
45.00	H. Brook 100 lts S. W		do 4 S 25 E 18
70.00	H. Brook same	49.00	H. Brook 10 lts S. W
80.00	Intersected N & S line 50 lts N. of corner	80.00	Set post corner to Sec ^s 20, 21, 28, 29
	Same the same		Dogwood 3 S 32 E 4
West	Corrected		do 3 S 41 W 4
40.00	gr. Sec. corner Beech 10 S 48 E 13		Same the same
	do 15 S 19 W 24	East	Between Sec ^s 21 & 28 On Random
80.00	Section corner	40.00	Temporary gr. Sec. post
North	Between Sec ^s 3 & 4	79.75	Intersected N & S line 60 lts N. of corner
40.00	gr. Sec. corner Beech 30 S 87 W 29		Same the same
	do 5 S 10 E 25	West	Corrected
45.00	H. Brook 125 lts S. W	39.87 $\frac{1}{2}$	gr. Sec. corner Chestnut, Oak 12 S 25 W 18
75.00	Set post on N. Boundary 50 lts E. of corner		do 20 S 5 W 25
	Beech 10 S 30 E 10	79.75	Section corner
	do 8 S 49 W 20	North	Between Sec ^s 20 & 21
	Same the same	40.00	gr. Sec. corner. Chestnut, Oak 15 S 56 E 14
North	Between Sec ^s 32 & 33		Dogwood 3 S 50 W 10
40.00	gr. Sec. corner Hickory 6 S 42 W 8	80.00	Set post corner of Sec ^s 14, 17, 20, 21
	N. Oak 15 S 85 E 25		Gum 5 S 47 W 26
53.00	H. Brook 12 lts S. W		do 4 S 60 E 29
			Same the same

East	Between Sec ^s 16 & 21 On Random	East	Between Sec ^s 4 & 9 On Random
40.00	Temporary gr. Sec. post	21.00	H. Brook 15 lts North
79.50	Intersected N & S line 60 lts N. of corner	40.00	Temporary gr. Sec. post
	Same the same	79.50	Intersected N & S line 50 lts N. of corner
West	Corrected		Same the same
39.75	gr. Sec. corner Sugar 10 S 86 E 12	West	Corrected
	Maple 12 S 15 W 3	39.75	gr. Sec. corner N. Oak 24 S 31 W 20
79.50	Section corner		B. Oak 15 S 42 E 22
North	Between Sec ^s 16 & 17	79.50	Section corner
33.00	H. B. Oak 15 in. diam.	North	Between Sec ^s 4 & 5
40.00	gr. Sec. corner Gum 6 S 77 E 7	35.00	H. Brook 150 lts West
	B. Oak 12 S 83 W 20	40.00	gr. Sec. corner Beech 15 S 82 W 4
80.00	Set post corner to Sec ^s 8, 9, 16, 17		do 12 S 55 E 23
	N. Oak 15 S 63 W 8	76.86	Set post on N. Boundary 167 lts E. of corner
	B. Oak 16 S 4 E 27		Beech 5 S 82 E 3
	Same the same		Oxlar 20 S 73 W 30
East	Between Sec ^s 7 & 16 On Random		Same the same
40.00	Temporary gr. Sec. post	North	Between Sec ^s 31 & 32
79.59	Intersected N & S line 63 lts N. of corner	34.50	H. Brook 10 lts S. W
	Same the same	40.00	gr. Sec. corner N. Oak 12 S 61 E 15
West	Corrected		do 10 S 82 W 24
39.49 $\frac{1}{2}$	gr. Sec. corner Hickory 12 S 46 W 14	65.00	H. Brook 15 lts S. W
	do 15 S 86 E 13	80.00	Set post corner to Sec ^s 29, 30, 31, 32
79.59	Section corner		Hickory 10 S 84 W 22
North	Between Sec ^s 8 & 9		N. Oak 30 S 27 E 33
33.50	H. B. Oak 30 in. diam.		Same the same
40.00	gr. Sec. corner Gum 15 S 41 W 12	East	Between Sec ^s 29 & 32 On Random
	Red bark 5 S 87 E 34	10.00	H. Brook 20 lts S. W
80.00	Set post corner to Sec ^s 4, 5, 8, 9	12.50	H. Brook 20 lts S. W
	Dogwood 3 S 6 E 14	15.00	H. Brook 20 lts S. W
	N. Oak 30 S 2 W 12	40.00	Temporary gr. Sec. post
	Same the same	80.20	Intersected N & S line 40 lts N. of corner
			Same the same

West Between Sec: 29 & 32 Corrected
 40.10 gr. Sec. corner N. Oak 10 St 50. E 7
 do 20 St 33. N 27
 80.20 Section corner
 North Between Sec: 29 & 30
 27.00 A. Brook 12 lks S. W
 40.00 gr. Sec. corner N. Oak 12 St 68 N 9
 Gum 10 St 73 E 11
 74.50 A. Brook 10 lks S. E
 80.00 Set post corner to Sec: 19, 20, 29, 30
 Maple 6 St 36 N 7
 Dogwood 4 St 53 E

Land the same

East Between Sec: 20 & 29 On Railroad
 39.50 A. Brook 10 lks South
 40.00 Temporary gr. Sec. post
 55.50 A. Brook 10 lks South
 80.12 Intersected St & S line 8 lks St. of corner
 Land the same

West Corrected
 40.26 gr. Sec. corner Beech 20 St 25 E 26
 do 4 St 74 N 20

80.12 Section corner
 North Between Sec: 19 & 20
 40.00 gr. Sec. corner Poplar 8 St 79 E 22
 Chis. Oak 10 St 75 N 12
 80.00 Set post corner to Sec: 19, 18, 19, 20
 Chis. Oak 15 St 40 E 10
 N. Oak 15 St 52 N 24

Land the same

East Between Sec: 17 & 20 On Railroad
 10.00 A. Brook 12 lks N. W
 40.00 Temporary gr. Sec. post
 80.40 Intersected St & S line 28 lks St. of corner
 Land the same

West Corrected Between Sec: 17 & 20
 40.20 gr. Sec. post N. Oak 10 St 4 E 12
 B. Oak 10 St 46 E 12
 80.40 Section corner
 North Between Sec: 17 & 18
 29.65 A. N. Oak 18 in. diam.
 40.00 gr. Sec. corner Sugar 15 St 80 N 17
 Dogwood 3 St 64 N 16
 70.50 A. Brook 15 lks N. W
 80.00 Set post corner to Sec: 7, 8, 17, 18
 Gum 20 St 85 N 19
 Beech 5 St 40 E 17

Land the same

East Between Sec: 8 & 17 On Railroad
 40.00 Temporary gr. Sec. post
 80.32 Intersected St & S line 15 lks St. of corner
 Land the same

West Corrected
 40.16 gr. Sec. corner B. Oak 30 St 10 E 23
 do 15 St 10 N 12

80.32 Section corner
 North Between Sec: 7 & 8
 21.50 A. Brook 10 lks West
 40.00 gr. Sec. corner Sugar 10 St 22 N 10
 Gum 20 St 87 E 15
 70.25 A. Brook 1.15 lks West
 80.00 Set post corner to Sec: 5, 6, 7, 8
 Gum 5 St 60 E 6
 Ironwood 3 St 51 N 7

Land the same

East Between Sec: 5 & 8 On Railroad
 14.00 A. Brook 15 lks South
 40.00 Temporary gr. Sec. post
 81.00 Intersected St & S line 18 lks St. of corner
 Land the same

West Corrected Between Sec: 5 & 8
 40.50 gr. Sec. corner Dogwood 3 St 78 N 16
 do 3 St 77 N 16
 81.00 Section corner
 North Between Sec: 5 & 6
 40.00 gr. Sec. corner Beech 7 St 66 E 15
 do 10 St 71 E 34
 72.65 Set post on N. Boundary 2.40 lks E of corner
 Elm 15 St 6 E 11
 Maple 3 St 21 N 74

Land the same

West Between Sec: 7 & 18
 5.50 A. Brook 10 lks South
 40.00 gr. Sec. corner N. Oak 15 St 16 N 7
 Hickory 4 St 87 E 15
 61.75 Set post on N. Boundary 2.32 lks S. of corner
 B. Oak 12 St 56 E 12
 Hickory 8 St 15 N 12

Land the same

West Between 18 & 19
 40.00 gr. Sec. corner Sassafras 6 St 27 E 21
 do 8 St 24 N 23
 43.30 B. Oak 20 in. diam.
 63.10 Set post on West Boundary 150 lks S. of corner
 N. Oak 10 St 50 N 6
 Beech 5 St 50 E 16

Land the same

West Between Sec: 19 & 30
 40.00 gr. Sec. corner Poplar 3 St 36 E 4
 Chis. Oak 20 St 88 N 36
 61.50 Set post on N. Boundary 176 lks N. of corner
 N. Oak 30 St 32 E 48
 do 15 St 65 N 28

Land the same

West Between Sec: 30 & 31
 40.00 gr. Sec. corner B. Oak 10 St 16 E 16
 do 6 St 34 N 20
 42.00 A. Brook 15 lks S. E
 62.75 Set post on N. Boundary 46 lks S. of corner
 N. Oak 40 St 46 E 50
 Hickory 8 St 50 E 23
 Land the same
 Surveyed by Arthur Harwood L.

West Between Sec: 6 & 7.
 40.00 Set 1/4 post, given which
 Beech 17 St 41 E 10 +
 do 20 St 13 N 11
 61.65 Set post on N. Boundary 35 lks S. of corner from which
 N. Oak 20 St 43 E 22
 do 20 St 43 N 24
 Land same